

	L #	Hits	Search Text	DBs
1	L1	726	(QAM "quadrature amplitude modulation") WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3) WITH (RF "radio frequency" channel availab\$6 "in?use" used capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	351	1 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	726	(QAM "quadrature amplitude modulation") WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3) WITH (RF "radio frequency" channel availab\$6 "in?use" used capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	3279	(QAM ((digital quadrature) NEAR2 (transmission transmitter modulat\$3)) ) WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3) WITH (RF "radio frequency" channel availab\$6 "in?use" used capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	1967	4 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	67	5 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L7	7198	(QAM ((digital quadrature local home premise) NEAR2 (transmission transmitter modulat\$3 network)) ) WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3). WITH (RF "radio frequency" channel availab\$6 "in?use" used capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	3537	7 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	10108	(QAM ((digital quadrature local home premise) NEAR2 (transmission transmitter modulat\$3 network)) ) WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3) WITH (number amount "in?use" availab\$6 us\$3 capacity) WITH (RF "radio frequency" channel availab\$6 "in?use" us\$3 capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	1482	(QAM ((digital quadrature local home premise) NEAR2 (transmission transmitter modulat\$3 network)) ) WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3) WITH ((number amount "in?use" availab\$6 us\$3 capacity) NEAR4 (RF "radio frequency" channel availab\$6 "in?use" us\$3 capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	589	10 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	17	11 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	170	11 AND "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	28	("6611537").URPN.	USPAT
15	L15	8	("6199136"   "6298370"   "6327637"   "6349352"   "6532019"   "6549929"   "6591419"   "6611537").PN.	US-PGPUB; USPAT; USOCR
16	L16	13	("3920975"   "4068105"   "4541121"   "5155590"   "5412416"   "5504856"   "5563883"   "5586121"   "5784597"   "5815146"   "5874992"   "5926547"   "6295615").PN.	US-PGPUB; USPAT; USOCR
17	L17	7	("5467352"   "5490145"   "5526356"   "5784569"   "5901148"   "5953338"   "6031845").PN.	US-PGPUB; USPAT; USOCR
18	L18	45	("5784569").URPN.	USPAT
19	L19	4338	((channel bandwidth) NEAR3 (\$2allocat\$3 assign\$4)) WITH (determin\$5 detect\$3 judg\$3 sens\$3 check\$3) WITH ((traffic number amount "in?use" availab\$6 us\$3 capacity) NEAR4 (RF "radio frequency" channel availab\$6 "in?use" us\$3 capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
20	L20	2521	19 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L21	99	20 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L22	7	("2002/0007492").URPN.	USPAT
23	L23	54	("5862451").URPN.	USPAT
24	L24	3	("5594726"   "5606725"   "5623422").PN.	US-PGPUB; USPAT; USOCR
25	L25	10	("5623422").URPN.	USPAT
26	L26	6	("5847660").URPN.	USPAT
27	L27	54	("5862451").URPN.	USPAT
28	L28	1042	20 AND "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L29	6334	(determin\$5 detect\$3 judg\$3 sens\$3) NEAR5 (volume amount capacity) NEAR5 (bit data information) NEAR5 (signal path channel RF)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
30	L30	3607	29 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L31	302	30 AND "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L32	138	29 SAME (RF "radio frequency" modualt\$3 QAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
33	L33	417	29 SAME (RF "radio frequency" modulat\$3 QAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L34	2	(determin\$5 detect\$3 judg\$3 sens\$3) NEAR5 (volume amount capacity) NEAR5 ((bit data information) NEAR2 ("in" "with" "on") NEAR2 (signal path channel RF))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L35	222	(volume amount capacity) NEAR5 ((bit data information) NEAR3 ("in" "with" "on") NEAR3 (signal path channel RF))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	L36	4332	(volume amount capacity value number record\$3 read\$3) NEAR5 ((bit data information) NEAR3 ("in" "with" "on") NEAR3 (signal path channel RF))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
37	L37	2590	36 AND ((@ad <= "20001227") or (@rlad <= "20001227"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L38	144	37 AND "370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L39	2	"5708961".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L40	1	39 AND (IP or Internet or web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB